

**Brightside Scientific Inc** 3027 South Street Ste A Long Beach, CA 90805

(844) 420-5227 http://www.brightsidsci.com Lic# C8-18-0000028-TEMP

Test

Batch

Cannabinoids

**QA** Testing

1 of 1

## Strawberry Watermelon 500mg

Sample ID: 1904BSD0223.0765 Strain: Strawberry Watermelon Matrix: Concentrates & Extracts Type: Distillate Sample Size: 30 g; Batch: 30 g

Produced: Collected: Received: 04/04/2019 Completed: 05/13/2019 Batch#: 10CCDQ02



Cannabinoids by HPLC-UV

Client **ELC Manufacutring** Lic.# 13519 1/2 Alondra Blvd Norwalk, CA 90670

Summary

Date Tested

04/04/2019

Result Complete Complete

Complete

ND		581.36 mg/unit			581.36 mg/unit
Total THC		Total CBD			Total Cannabinoids
Analyte	LOQ	LOD	Result	Result	
	mg/unit	mg/unit	mg/unit	mg/mL	
THCa	0.07500	0.0300	ND	ND	
∆9-THC	0.07500	0.0300	ND	ND	
CBDa	0.07500	0.0300	ND	ND	
CBD	0.07500	0.0300	581.36	19.38	
CBN	0.07500	0.0300	ND	ND	
CBG	0.07500	0.0300	ND	ND	
Total THC			<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
Total CBD			581.36	19.38	
Total			581.36	19.38	

1 mL = 1g. Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND means not detected by the level of detection <0.000%.

NT Not Tested Not Tested Not Tested Moisture Content by Moisture Analyzer Water Activity by Hygrometer Foreign Matter by Magnifying Glass ISO 17025:2017 Accredited **Confident Cannabis** All Rights Reserved Maxi support@confidentcannabis.com (866) 506-5866 Hinaxi Patel PJLA Technical Director www.confidentcannabis.com Festing litation #97326



05/13/2019

This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.